





FIG.2



old df,	/dx at z=0.0 = ;	new df/dx a	it z=0.0	old df/dy at	z=0.0	ew df/dy at	z=0.0
						e de la companya del companya de la companya del companya de la co	1
						Asir .	
	# # # # # # # # # # # # # # # # # # #					Tiges of Sec.	4.5
- 44	17		1.1				
2000年 3008年							
						i laye	
old df	/dx at z=0.5	new_df/dx a	at $z=0.5$	old df/dy a	z=0.5	ew df/dy at	z=0.5
				a liftibiti-			
				apitali. Botali			
4		· 使表					
			100 mg 1 m				
	- F		4			e f	
	112					the second secon	
		(Main,		A. C.	2. 多數數	E	
			2333525	والمتحدد المتحدد المتحدد المتحدد	1		
old df	/dz at z=0.0	new df/dz a	it $z=0.0$	old f(xyz) a	z=0.0 n	ew f(xyz) at a	z=0.0
old df	/dz at z=0.0	new df/dz a	at $z=0.0$	old f(xyz) a	t z=0.0 n	ew f(xyz) at a	z=0.0
old df	/dz at z=0.0	new df/dz a	at z=0.0)	old f(xyz) a	t z=0.0 n	ew f(xyz) at a	z= 0. ()
old df	/dz at z=0.0	new df/dz a	at z=0.6)	old f(xyz) a	t z=0.0 n	ew f(xyz) at a	z=0. 0
old df	/dz at z=0.0	new df/dz a	at z=0.0	old f(xyz) a	t z=0.0 n	ew f(xyz) at a	z=0.¢
old df	/dz at z=0.0	new df/dz a	at z=0.0	old f(xyz) a	t z=0.0 n	ew f(xyz) at a	z=0. 0
old df	/dz at z=0.0	new df/dz a	at z=0.0	old f(xyz) a	t z=0.0 n	ew f(xyz) at z	z=0. ()
old df	/dz at z=0.0	new df/dz a	at z=0.0 = 5	old f(xyz) a	t z=0.0 n	ew f(xyz) at a	z=0. ()
	/dz at z=0.0 /dz at z=0.5						

FIG.3